

Paasche Airbrush Company

3/1/15

SAFETY DATA SHEET

MANUFACTURER OR DISTRIBUTOR: Paasche Airbrush Company / 4311 N. Normandy Avenue / Chicago, IL 60634-1395

INFORMATION TELEPHONE NUMBER: 773-867-9191
EMERGENCY TELEPHONE NUMBER: 773-867-9191

SECTION I - PRODUCT IDENTIFICATION

PRODUCT NAME: Paasche Extreme Air Multi Surface Airbrush Paint PRODUCT NUMBER : X--***

PRODUCT SIZES: NG BRAND NAME: Paasche Extreme Air PRODUCT CLASS: Acrylic Paint, Artist

SECTION II - POTENTIAL HEALTH EFFECTS

PERMISSIBLE EXPOSURE LEVEL: SEE SECTION III FOR COMPONENT PEL/TLVs PRIMARY ROUTES OF ENTRY: INHALATION, INGESTION, EYE, SKIN

EFFECTS AND SYMPTOMS OF ACUTE EXPOSURE: NONE EXPECTED

EFFECTS AND SYMPTOMS OF CHRONIC EXPOSURE: NONE EXPECTED

CARCINOGEN LISTING: NTP: NO IARC: NO OSHA: NO

SEE SECTION III FOR COMPONENTS AFFECTED

MEDICAL CONDITIONS USUALLY AGGRAVATED BY OVER EXPOSURE TO THIS PRODUCT: NONE

SECTION III - HAZARDOUS INGREDIENTS

Ingredient	CAS #	PEL/TLV	Max % Weight	NTP	IARC
Propylene Glycol	57-55-6	n/a	1 - 3 %	n/a	n/a
Acrylic Dispersion in H2O		n/a	97%	n/a	n/a

SECTION IV - FIRST AID

FIRST AID MEASURES : Eye Contact : Remove contact lenses. Flush with water for 15 minutes and consult physician, if irritation persists
Ingestion: If victim conscious give water, do not induce vomiting. Call physician.

SECTION V - FIRE FIGHTING MEASURES

FLASH POINT (METHOD): N/A AUTOIGNITION TEMPERATURE: N/A EXPLOSION LIMITS IN AIR (% BY VOLUME): NOT EXPLOSIVE
EXTINGUISHING MEDIA: NO SPECIAL MEDIA REQUIRED FIRE FIGHTING PROCEDURES: NO SPECIAL FIRE FIGHTING PROCEDURES
REQUIRED UNUSUAL FIRE & EXPLOSION HAZARDS: NOT COMBUSTIBLE

SECTION VI - SPILL AND LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE A MATERIAL IS SPILLED: Clean up in accordance with all applicable regulations. Absorb spillage with non-

combustible, absorbent material. For waste disposal, see Section XIII

SECTION VII - HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN DURING STORAGE AND HANDLING: Good industrial hygiene practice requires that exposure be maintained below the TLV. This is preferably achieved through the provision of adequate ventilation. When exposure cannot be adequately controlled in this way, personal respiratory protection should be employed.

SECTION VIII -EXPOSURE CONTROLS

Respiratory Protection : Respiratory protection equipment is required under normal conditions of anticipated use with adequate ventilation. Wear a NIOSH / MSHA approved respirator. Equipment can be worn to minimize skin contact. Wash thoroughly before eating, drinking, or smoking.

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT: N/A MELTING POINT: N/A VAPOR PRESSURE: N/A SPECIFIC VAPOR DENSITY (AIR=1): N/A SPECIFIC GRAVITY: N/A
SOLUBILITY IN WATER: N/A REACTIVITY IN WATER: NON-REACTIVE V.O.C.: 0.42 lbs/gal

SECTION X - STABILITY AND REACTIVITY

HAZARDOUS POLYMERIZATION PRODUCTS: NONE
STABILITY: STABLE CONDITIONS TO AVOID: NONE
INCOMPATIBILITY (MATERIALS TO AVOID): NONE
HAZARDOUS DECOMPOSITION PRODUCTS: NONE

SECTION XI - TOXICOLOGICAL INFORMATION

ACUTE EFFECTS ASSOCIATED WITH USE OF THIS MATERIAL: NONE EXPECTED The summated LD50 is 47643 mg/kg. This product is/is not considered to be a known or suspected human carcinogen by NTP, IARC or OSHA (see section III)

SECTION XII - ECOLOGICAL INFORMATION

NO HARMFUL EFFECTS KNOWN OTHER THAN THOSE ASSOCIATED WITH SUSPENDED INERT SOLIDS IN WATER.

SECTION XIII - DISPOSAL CONSIDERATIONS

RCRA HAZARD CLASS (40 CFR 261): THIS PRODUCT IS NOT CLASSIFIED AS A HAZARDOUS WASTE. WASTE DISPOSAL METHOD: DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

SECTION XIV - TRANSPORTATION INFORMATION

U.S. DOT (49 CFR 172.101): THIS IS NOT A HAZARDOUS MATERIAL AS CLASSIFIED BY CFR 172.101.

SECTION XV - REGULATORY INFORMATION

CONTENTS OF THIS MSDS COMPLY WITH OSHA HAZARD COMMUNICATION STANDARD 29 CFR 1910.1200 EPA SARA TITLE III CHEMICAL LISTINGS NONE

SECTION 302.4 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355): NONE

SECTION 313 TOXIC CHEMICALS (40 CFR 372): NONE

INTERNATIONAL REGULATIONS

CANADIAN WHMIS: THIS PRODUCT IS A CONTROLLED PRODUCT UNDER CANADA'S WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM. IT CONTAINS THE FOLLOWING TOXIC OR HIGHLY TOXIC MATERIALS: ALUMINUM OXIDE FERRIC OXIDE MICA PROPYLENE GLYCOL

SUPPLEMENTAL STATE COMPLIANCE INFORMATION:

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED IN THE STATE OF CALIFORNIA UNDER THEIR SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT OF 1986 (PROPOSITION 65) AS BEING KNOWN TO CAUSE CANCER, BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM: NONE

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED UNDER NEW JERSEY'S RIGHT TO KNOW PROGRAM: ALUMINUM OXIDE MICA PIGMENT RED 101

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) REQUIRING NOTIFICATION TO THE STATE OF WASHINGTON UNDER THEIR CHILDREN'S SAFE PRODUCTS ACT: NONE

SECTION XVI - OTHER INFORMATION

THIS INFORMATION SHEET IS FOR CONSUMER USE ONLY.

COLOR INFORMATION

THIS MSDS APPLIES TO THE FOLLOWING COLORS WHICH ARE ASSOCIATED WITH HAZARDOUS AND/OR NON-HAZARDOUS INGREDIENTS :

X-201 White, X-202 Black, X-203 Yellow, X-204 Red, X-205 Blue, X-206 Orange, X-207 Purple, X-208 Green, X-209 Golden Yellow
X-210 Lime Green, X-211 Brown, X-212 Magenta, X-213 Light Blue, X-214 Dark Red, X-215 Opaque White, X-401 White, X-402 Black
X-403 Yellow, X-404 Red, X-405 Blue, X-406 Orange, X-407 Purple, X-408 Green, X-409 Golden Yellow, X-410 Lime Green, X-411 Brown
X-412 Magenta, X-413 Light Blue, X-414 Dark Red, X-415 Opaque White

X-241 Pearl White, X-242 Pearl Silver, X-243 Pearl Gold, X-244 Pearl Blue, X-245 Pearl Red, X-246 Pearl Purple, X-247 Pearl Green
X-441 Pearl White, X-442 Pearl Silver, X-443 Pearl Gold, X-444 Pearl Blue, X-445 Pearl Red, X-447 Pearl Green

X-260 Fluorescent Pink, X-261 Fluorescent Yellow, X-262 Fluorescent Green, X-263 Fluorescent Purple, X-264 Fluorescent Orange
X-460 Fluorescent Pink, X-461 Fluorescent Yellow, X-462 Fluorescent Green, X-463 Fluorescent Purple, X-464 Fluorescent Orange

XT-4 Transparent Base, XT-16 Transparent Base

PRODUCT COLOR HAZARDOUS INGREDIENT

X-201 White (NONE), X-202 Black (NONE), X-203 Yellow (NONE), X-204 Red (NONE), X-205 Blue (NONE), X-206 Orange (NONE)
X-207 Purple (NONE), X-208 Green (NONE), X-209 Golden Yellow (NONE), X-210 Lime Green (NONE), X-211 Brown (NONE)
X-212 Magenta (NONE), X-213 Light Blue (NONE), X-214 Dark Red (NONE), X-215 Opaque White (NONE), X-401 White (NONE),
X-402 Black (NONE), X-403 Yellow (NONE), X-404 Red (NONE), X-405 Blue (NONE), X-406 Orange (NONE), X-407 Purple (NONE)
X-408 Green (NONE), X-409 Golden Yellow (NONE), X-410 Lime Green (NONE), X-411 Brown (NONE), X-412 Magenta (NONE)
X-413 Light Blue (NONE), X-414 Dark Red (NONE), X-415 Opaque White (NONE)

X-241 Pearl White (NONE), X-242 Pearl Silver (NONE), X-243 Pearl Gold (NONE), X-244 Pearl Blue (NONE), X-245 Pearl Red (NONE)
X-246 Pearl Purple (NONE), X-247 Pearl Green (NONE), X-441 Pearl White (NONE)

X-260 Fluorescent Pink (NONE), X-261 Fluorescent Yellow (NONE), X-262 Fluorescent Green (NONE), X-263 Fluorescent Purple (NONE)
X-264 Fluorescent Orange (NONE), X-460 Fluorescent Pink (NONE), X-461 Fluorescent Yellow (NONE), X-462 Fluorescent Green (NONE)
X-463 Fluorescent Purple (NONE), X-464 Fluorescent Orange (NONE)

XT-4 Transparent Base (NONE), XT-16 Transparent Base (NONE)

BRAND NAMES

THIS SDS APPLIES TO THE FOLLOWING BRAND NAMES:
PAASCHE EXTREME AIR MULTI SURFACE AIRBRUSH PAINT